

**PROHIBITED ARTICLES IN RADIOACTIVE
SOLID WASTE PACKAGES,
(LLW, compactible, and noncompactible)**

- **Incandescent and Fluorescent Light Bulbs**, flashlight, drop lights, and floodlights
- **Batteries**, flashlight/beeper dry cells and emergency light batteries
- **Lead**, bricks, sheets, fuses, printed circuit boards, computer monitors, televisions, bronze strainers/floor drains/fittings, brass sand-cast elbow/valves, items that would fail TCLP** (i.e., compounds not otherwise specified [NOS])
- **Liquids**, any amount of unabsorbed, nonregulated free liquids (unless asbestos waste 1% free - OK) - sorbent must be added to all final packaging with condensation potential.
- **Aerosol Cans**, **see pollution prevention initiative (e.g., pressurized containers that include aerosol cans, fire extinguishers, and lecture bottles)
- **Mercury**, thermostats, relays, thermometers, and compounds NOS
- **Unauthorized Chemicals/Solvents**, **contact your WMR
- **Combo Respirator Cartridges**, where combos are, mixed wastes exists, there are some combos regulated just by the reagents within them (e.g., ammonia) **
- **Syringes, scalpels, hypodermic needles**, even if nonmedical application**
- **Dismantled circuit boards**, may contain hazardous materials**
- **Drager/Sensodyne tubes**, may contain hazardous materials**
- **Animal waste/animal carcasses**
- **Green or wet vegetation**
- **Oils, fuels, and other organic liquids**, even if absorbed into solid

Note: Each bulleted item is a separate and distinct waste and should be packaged/labeled accordingly.**

Questions/path forward for prohibited articles/items considered mixed or State regulated - **ask your Waste Management Representative, or contact the [Radioactive Waste Program Manager](#) or [Mixed Waste Program Manager](#).